ELSEVIER

Brain Research 953 (2002) 286–287

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abbott, N.J., see Easton, A.S. (953) 157
Anisman, H., see Tannenbaum, B. (953) 82
Aoyama, S., Koga, K., Mori, A., Miyaji, H., Sekine, S., Kase, H., Uchimura, T., Kobayashi, H. and Kuwana, Y. Distribution of adenosine A_{2A} receptor antagonist KW-6002 and its effect on gene expression in the rat brain (953) 119
Apelt, J., Kumar, A. and Schliebs, R. Impairment of cholinergic neurotransmission in adult and aged transgenic Tg2576 mouse brain expressing the Swedish mutation of human β-amyloid precursor protein (953) 17
Arendt, T., see Lüth, H.-J. (953) 135
Arnone, M., see Remaury, A. (953) 63

Beaulieu, C., see Busch, E. (953) 112
Boers, P.M., see Lambert, G.A. (953) 181
Braak, H., see Rüb, U. (953) 126
Brunt, E.R., see Rüb, U. (953) 126
Bryan Jones, R., see McKeegan, D.E.F. (953) 101
Busch, E., Beaulieu, C., de Crespigny, A., Kreischer, S., Diener, H.-C. and Moseley, M.E. Combined X-ray angiography and diffusion–perfusion MRI for studying stroke evolution after rt-PA treatment in rats (953) 112

Cannizzaro, C., Martire, M., Steardo, L., Cannizzaro, E., Gagliano, M., Mineo, A. and Provenzano, G. Prenatal exposure to diazepam and alprazolam, but not to zolpidem, affects behavioural stress reactivity in handling-naïve and handling-habituated adult male rat progeny (953) 170
Cannizzaro, E., see Cannizzaro, C. (953) 170
Caput, D., see Remaury, A. (953) 63
Carpenter, D.O., see Laemle, L.K. (953) 73
Chen, Z., see Murphy, N.P. (953) 276
Clow, A., see Kunikowska, G. (953) 1
Cordeiro, M.L., Gundersen, C.B. and Umbach, J.A. Lithium ions modulate the expression of VMAT2 in rat brain (953) 189
Corsi, P., see Nico, B. (953) 12
Culouscou, J.-M., see Remaury, A. (953) 63

Dalm, S., see Grootendorst, J. (953) 281
de Crespigny, A., see Busch, E. (953) 112
de Kloet, E.R., see Grootendorst, J. (953) 281
Del Tredici, K., see Rüb, U. (953) 126
Demmers, T.G.M., see McKeegan, D.E.F. (953) 101
de Vos, R.A.I., see Rüb, U. (953) 126
Diener, H.-C., see Busch, E. (953) 112
Dodge, M.E., Rahimtula, M. and Mearow, K.M. Factors contributing to neurotrophin-independent survival of adult sensory neurons (953) 144
Donaldson, C., see Lambert, G.A. (953) 181
Dong, X.-P., see Zhang, Z.-X. (953) 93

Easton, A.S. and Abbott, N.J. Bradykinin increases permeability by calcium and 5-lipoxygenase in the ECV304/C6 cell culture model of the blood–brain barrier (953) 157
Endo, S., see Kubo, T. (953) 232

Fang, H., Huang, Y. and Zuo, Z. The different responses of rat glutamate transporter type 2 and its mutant (tyrosine 403 to histidine) activity to volatile anesthetics and activation of protein kinase C (953) 255
Feldon, J., see Jongen-Rêlo, A.L. (953) 223
Ferrara, P., see Remaury, A. (953) 63
Fraley, G.S. and Ulibarri, C.M. Long-term castration effects motoneuron size but not number in the spinal nucleus of the bulbocavernosus in the adult male Mongolian gerbil (953) 265
Fujimura, N., see Narimatsu, E. (953) 272
Fukumori, R., see Kubo, T. (953) 232

Gagliano, M., see Cannizzaro, C. (953) 170
Gallagher, I., see Kunikowska, G. (953) 1
Gendreau, S., see Remaury, A. (953) 63
Gentle, M.J., see McKeegan, D.E.F. (953) 101
Glover, V., see Kunikowska, G. (953) 1
Grootendorst, J., Kempes, M.M., Lucassen, P.J., Dalm, S., de Kloet, E.R. and Oitzl, M.S. Differential effect of corticosterone on spatial learning abilities in apolipoprotein E knockout and C57BL/6J mice (953) 281
Gundersen, C.B., see Cordeiro, M.L. (953) 189

Hagiwara, Y., see Kubo, T. (953) 232
Harrold, J.A., see Smith, S.L. (953) 215
Hoff, J.T., see Wu, J. (953) 45
Holden, J.E., Van Poppel, A.Y. and Thomas, S. Antinociception from lateral hypothalamic stimulation may be mediated by NK_1 receptors in the A7 catecholamine cell group in rat (953) 195
Hori, N., see Laemle, L.K. (953) 73
Hoskin, K.L., see Lambert, G.A. (953) 181
Hua, Ya., see Wu, J. (953) 45
Huang, Y., see Fang, H. (953) 255

Jenner, P., see Kunikowska, G. (953) 1
Jih, J., see Ragozzino, M.E. (953) 205
Jongen-Rêlo, A.L., Pothuizen, H.H.J., Feldon, J. and Pryce, C.R. Comparison of central corticosteroid receptor expression in male Lewis and Fischer rats (953) 223
Joseph, J.A., see Rabin, B.M. (953) 31
Jung, M., see Remaury, A. (953) 63

Kase, H., see Aoyama, S. (953) 119
Kawamata, M., see Narimatsu, E. (953) 272
Kawamata, Y., see Narimatsu, E. (953) 272
Keep, R.F., see Wu, J. (953) 45
Kempes, M.M., see Grootendorst, J. (953) 281
Kobayashi, H., see Aoyama, S. (953) 119
Koga, K., see Aoyama, S. (953) 119
Kopf, M., see Remaury, A. (953) 63
Kreischer, S., see Busch, E. (953) 112
Kubo, T., Hagiwara, Y., Endo, S. and Fukumori, R. Activation of hypothalamic angiotensin receptors produces pressor responses via cholinergic inputs to the rostral ventrolateral medulla in normotensive and hypertensive rats (953) 232

0006-8993/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(02)03634-X

ELSEVIER

Brain Research 953 (2002) 286–287

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abbott, N.J., see Easton, A.S. (953) 157
Anisman, H., see Tannenbaum, B. (953) 82
Aoyama, S., Koga, K., Mori, A., Miyaji, H., Sekine, S., Kase, H., Uchimura, T., Kobayashi, H. and Kuwana, Y. Distribution of adenosine A_{2A} receptor antagonist KW-6002 and its effect on gene expression in the rat brain (953) 119
Apelt, J., Kumar, A. and Schliebs, R. Impairment of cholinergic neurotransmission in adult and aged transgenic Tg2576 mouse brain expressing the Swedish mutation of human β-amyloid precursor protein (953) 17
Arendt, T., see Lüth, H.-J. (953) 135
Arnone, M., see Remaury, A. (953) 63

Beaulieu, C., see Busch, E. (953) 112
Boers, P.M., see Lambert, G.A. (953) 181
Braak, H., see Rüb, U. (953) 126
Brunt, E.R., see Rüb, U. (953) 126
Bryan Jones, R., see McKeegan, D.E.F. (953) 101
Busch, E., Beaulieu, C., de Crespigny, A., Kreischer, S., Diener, H.-C. and Moseley, M.E. Combined X-ray angiography and diffusion–perfusion MRI for studying stroke evolution after rt-PA treatment in rats (953) 112

Cannizzaro, C., Martire, M., Steardo, L., Cannizzaro, E., Gagliano, M., Mineo, A. and Provenzano, G. Prenatal exposure to diazepam and alprazolam, but not to zolpidem, affects behavioural stress reactivity in handling-naïve and handling-habituated adult male rat progeny (953) 170
Cannizzaro, E., see Cannizzaro, C. (953) 170
Caput, D., see Remaury, A. (953) 63
Carpenter, D.O., see Laemle, L.K. (953) 73
Chen, Z., see Murphy, N.P. (953) 276
Clow, A., see Kunikowska, G. (953) 1
Cordeiro, M.L., Gundersen, C.B. and Umbach, J.A. Lithium ions modulate the expression of VMAT2 in rat brain (953) 189
Corsi, P., see Nico, B. (953) 12
Culouscou, J.-M., see Remaury, A. (953) 63

Dalm, S., see Grootendorst, J. (953) 281
de Crespigny, A., see Busch, E. (953) 112
de Kloet, E.R., see Grootendorst, J. (953) 281
Del Tredici, K., see Rüb, U. (953) 126
Demmers, T.G.M., see McKeegan, D.E.F. (953) 101
de Vos, R.A.I., see Rüb, U. (953) 126
Diener, H.-C., see Busch, E. (953) 112
Dodge, M.E., Rahimtula, M. and Mearow, K.M. Factors contributing to neurotrophin-independent survival of adult sensory neurons (953) 144
Donaldson, C., see Lambert, G.A. (953) 181
Dong, X.-P., see Zhang, Z.-X. (953) 93

Easton, A.S. and Abbott, N.J. Bradykinin increases permeability by calcium and 5-lipoxygenase in the ECV304/C6 cell culture model of the blood–brain barrier (953) 157
Endo, S., see Kubo, T. (953) 232

Fang, H., Huang, Y. and Zuo, Z. The different responses of rat glutamate transporter type 2 and its mutant (tyrosine 403 to histidine) activity to volatile anesthetics and activation of protein kinase C (953) 255
Feldon, J., see Jongen-Rêlo, A.L. (953) 223
Ferrara, P., see Remaury, A. (953) 63
Fraley, G.S. and Ulibarri, C.M. Long-term castration effects motoneuron size but not number in the spinal nucleus of the bulbocavernosus in the adult male Mongolian gerbil (953) 265
Fujimura, N., see Narimatsu, E. (953) 272
Fukumori, R., see Kubo, T. (953) 232

Gagliano, M., see Cannizzaro, C. (953) 170
Gallagher, I., see Kunikowska, G. (953) 1
Gendreau, S., see Remaury, A. (953) 63
Gentle, M.J., see McKeegan, D.E.F. (953) 101
Glover, V., see Kunikowska, G. (953) 1
Grootendorst, J., Kempes, M.M., Lucassen, P.J., Dalm, S., de Kloet, E.R. and Oitzl, M.S. Differential effect of corticosterone on spatial learning abilities in apolipoprotein E knockout and C57BL/6J mice (953) 281
Gundersen, C.B., see Cordeiro, M.L. (953) 189

Hagiwara, Y., see Kubo, T. (953) 232
Harrold, J.A., see Smith, S.L. (953) 215
Hoff, J.T., see Wu, J. (953) 45
Holden, J.E., Van Poppel, A.Y. and Thomas, S. Antinociception from lateral hypothalamic stimulation may be mediated by NK_1 receptors in the A7 catecholamine cell group in rat (953) 195
Hori, N., see Laemle, L.K. (953) 73
Hoskin, K.L., see Lambert, G.A. (953) 181
Hua, Ya., see Wu, J. (953) 45
Huang, Y., see Fang, H. (953) 255

Jenner, P., see Kunikowska, G. (953) 1
Jih, J., see Ragozzino, M.E. (953) 205
Jongen-Rêlo, A.L., Pothuizen, H.H.J., Feldon, J. and Pryce, C.R. Comparison of central corticosteroid receptor expression in male Lewis and Fischer rats (953) 223
Joseph, J.A., see Rabin, B.M. (953) 31
Jung, M., see Remaury, A. (953) 63

Kase, H., see Aoyama, S. (953) 119
Kawamata, M., see Narimatsu, E. (953) 272
Kawamata, Y., see Narimatsu, E. (953) 272
Keep, R.F., see Wu, J. (953) 45
Kempes, M.M., see Grootendorst, J. (953) 281
Kobayashi, H., see Aoyama, S. (953) 119
Koga, K., see Aoyama, S. (953) 119
Kopf, M., see Remaury, A. (953) 63
Kreischer, S., see Busch, E. (953) 112
Kubo, T., Hagiwara, Y., Endo, S. and Fukumori, R. Activation of hypothalamic angiotensin receptors produces pressor responses via cholinergic inputs to the rostral ventrolateral medulla in normotensive and hypertensive rats (953) 232

0006-8993/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(02)03634-X

Kumar, A., see Apelt, J. (953) 17
Kung, J.-C. and Shyu, B.-C.
Potentiation of local field potentials in the anterior cingulate cortex evoked by the stimulation of the medial thalamic nuclei in rats (953) 37
Kunikowska, G., Gallagher, I., Glover, V., Clow, A. and Jenner, P.
Effects of short- and long-term (−)-deprenyl administration on mRNA for copper, zinc- and manganese-superoxide dismutase and glutathione peroxidase in rat brain (953) 1
Kuwana, Y., see Aoyama, S. (953) 119

Laemle, L.K., Hori, N., Strominger, N.L., Tan, Y. and Carpenter, D.O.
Physiological and anatomical properties of the suprachiasmatic nucleus of an anophthalmic mouse (953) 73
Lam, H.A., see Murphy, N.P. (953) 276
Lambert, G.A., Boers, P.M., Hoskin, K.L., Donaldson, C. and Zagami, A.S.
Suppression by eletriptan of the activation of trigeminovascular sensory neurons by glyceryl trinitrate (953) 181
Le Fur, G., see Remaury, A. (953) 63
Liu, J., see Zhang, Z.-X. (953) 93
Lü, H., see Zhang, Z.-X. (953) 93
Lucassen, P.J., see Grootendorst, J. (953) 281
Lüth, H.-J., Münch, G. and Arendt, T.
Aberrant expression of NOS isoforms in Alzheimer's disease is structurally related to nitrotyrosine formation (953) 135

Maidment, N.T., see Murphy, N.P. (953) 276
Martire, M., see Cannizzaro, C. (953) 170
McKeegan, D.E.F., Demmers, T.G.M., Wathes, C.M., Bryan Jones, R. and Gentle, M.J.
Stimulus–response functions of single avian olfactory bulb neurones (953) 101
Mearow, K.M., see Dodge, M.E. (953) 144
Mineo, A., see Cannizzaro, C. (953) 170
Miyaji, H., see Aoyama, S. (953) 119
Mori, A., see Aoyama, S. (953) 119
Moseley, M.E., see Busch, E. (953) 112
Münch, G., see Lüth, H.-J. (953) 135
Murphy, N.P., Lam, H.A., Chen, Z., Pintar, J.E. and Maidment, N.T.
Heroin-induced locomotion and mesolimbic dopamine release is unchanged in mice lacking the ORL1 receptor gene (953) 276

Namiki, A., see Narimatsu, E. (953) 272
Narimatsu, E., Kawamata, Y., Kawamata, M., Fujimura, N. and Namiki, A.
NMDA receptor-mediated mechanism of ketamine-induced facilitation of glutamatergic excitatory synaptic transmission (953) 272
Nico, B., Corsi, P., Vacca, A., Roncali, L. and Ribatti, D.
Vascular endothelial growth factor and vascular endothelial growth factor receptor-2 expression in mdx mouse brain (953) 12
Noh, H.R., see Swerdlow, N.R. (953) 246

Oitzl, M.S., see Grootendorst, J. (953) 281

Paulson, H., see Rüb, U. (953) 126
Pintar, J.E., see Murphy, N.P. (953) 276
Pitcher, L., see Swerdlow, N.R. (953) 246
Poncelet, M., see Remaury, A. (953) 63
Pothuizen, H.H.J., see Jongen-Rêlo, A.L. (953) 223
Provenzano, G., see Cannizzaro, C. (953) 170
Pryce, C.R., see Jongen-Rêlo, A.L. (953) 223

Rabin, B.M., Shukitt-Hale, B., Szprengiel, A. and Joseph, J.A.
Effects of heavy particle irradiation and diet on amphetamine- and lithium chloride-induced taste avoidance learning in rats (953) 31
Ragozzino, M.E., Jih, J. and Tzavos, A.
Involvement of the dorsomedial striatum in behavioral flexibility: role of muscarinic cholinergic receptors (953) 205
Rahimtula, M., see Dodge, M.E. (953) 144
Rashid, M.H. and Ueda, H.
Neuropathy-specific analgesic action of intrathecal nicotinic agonists and its spinal GABA-mediated mechanism (953) 53
Remaury, A., Vita, N., Gendreau, S., Jung, M., Arnone, M., Poncelet, M., Culouscou, J.-M., Le Fur, G., Soubrié, P., Caput, D., Shire, D., Kopf, M. and Ferrara, P.
Targeted inactivation of the neurotensin type 1 receptor reveals its role in body temperature control and feeding behavior but not in analgesia (953) 63
Ribatti, D., see Nico, B. (953) 12
Roncali, L., see Nico, B. (953) 12
Rüb, U., de Vos, R.A.I., Brunt, E.R., Schultz, C., Paulson, H., Del Tredici, K. and Braak, H.
Degeneration of the external cuneate nucleus in spinocerebellar ataxia type 3 (Machado–Joseph disease) (953) 126

Schallert, T., see Wu, J. (953) 45
Schliebs, R., see Apelt, J. (953) 17
Schultz, C., see Rüb, U. (953) 126
Sekine, S., see Aoyama, S. (953) 119
Shire, D., see Remaury, A. (953) 63
Shoemaker, J.M., see Swerdlow, N.R. (953) 246
Shukitt-Hale, B., see Rabin, B.M. (953) 31
Shyu, B.-C., see Kung, J.-C. (953) 37
Smith, S.L., Harrold, J.A. and Williams, G.
Diet-induced obesity increases μ opioid receptor binding in specific regions of the rat brain (953) 215
Soubrié, P., see Remaury, A. (953) 63
Steardo, L., see Cannizzaro, C. (953) 170
Strominger, N.L., see Laemle, L.K. (953) 73
Sudom, K., see Tannenbaum, B. (953) 82
Swerdlow, N.R., Pitcher, L., Noh, H.R. and Shoemaker, J.M.
Startle gating in rats is disrupted by chemical inactivation but not D2 stimulation of the dorsomedial thalamus (953) 246
Szprengiel, A., see Rabin, B.M. (953) 31

Tan, Y., see Laemle, L.K. (953) 73
Tannenbaum, B., Tannenbaum, G.S., Sudom, K. and Anisman, H.
Neurochemical and behavioral alterations elicited by a chronic intermittent stressor regimen: implications for allostatic load (953) 82
Tannenbaum, G.S., see Tannenbaum, B. (953) 82
Thomas, S., see Holden, J.E. (953) 195
Tzavos, A., see Ragozzino, M.E. (953) 205

Uchimura, T., see Aoyama, S. (953) 119
Ueda, H., see Rashid, M.H. (953) 53
Ulibarri, C.M., see Fraley, G.S. (953) 265
Umbach, J.A., see Cordeiro, M.L. (953) 189

Vacca, A., see Nico, B. (953) 12
Van Poppel, A.Y., see Holden, J.E. (953) 195
Vita, N., see Remaury, A. (953) 63

Wathes, C.M., see McKeegan, D.E.F. (953) 101
Williams, G., see Smith, S.L. (953) 215
Wu, J., Hua, Ya., Keep, R.F., Schallert, T., Hoff, J.T. and Xi, G.
Oxidative brain injury from extravasated erythrocytes after intracerebral hemorrhage (953) 45

Xi, G., see Wu, J. (953) 45
Xu, T.-L., see Zhang, Z.-X. (953) 93

Zagami, A.S., see Lambert, G.A. (953) 181
Zhang, Z.-X., Lü, H., Dong, X.-P., Liu, J. and Xu, T.-L.
Kinetics of etomidate actions on $GABA_A$ receptors in the rat spinal dorsal horn neurons (953) 93
Zuo, Z., see Fang, H. (953) 255